



Review of Ledlightexpert.com

Generated on 2023-09-29

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Search Engine Optimization

Usability

Mobile

Technologies

Visitors

Social

Iconography

Link Analysis

Hard to solve

To Improve

• Little tough to solve

Easy to solve



Errors

No action necessary



Not Important



Search Engine Optimization



Welcome to LED Light Expert - The Experts in LED Lighting!

Length: 59 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Welcome to LEDLightExpert.com, Top Rated LED Lights including LED Corn Bulbs, LED High Bay, LED Parking Lot Lights and LED Sports Lights. Trust the LED experts to find the right commercial LED lights for your lighting project. All backed by our Industry Leading warranty.

Length: 273 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.

Meta Keywords

Led lights, led lighting, LED Corn Light Bulbs, LED wall packs, LED parking Lot Lights, LED high bay, Solar street lights, grow lights, stadium lights.

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.



Google Preview

Welcome to LED Light Expert - The Experts in LED Lighting! ledlightexpert.com/

Welcome to LEDLightExpert.com, Top Rated LED Lights including LED Corn Bulbs, LED High Bay, LED Parking Lot Lights and LED Sports Lights. Trust the LED experts to find the right commercial LED lights for your lighting project. All backed by our Industry Leading warranty.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.



<H1> <H2> <H3> <H4> <H5> <H6> 1 3 20 27 0 0

<H1> LED Light Expert </H1> <H2> LED Light Expert </H2> <H2> LED Lights From the Experts </H2> <H2> America's Favorite Lighting Company </H2> <H3> LED LIGHT </H3> <H3> BULBS </H3> <H3> LED WALL </H3> <H3> LIGHTS </H3> <H3> LED PARKING LOT </H3> <H3> LIGHTS </H3> <H3> LED WAREHOUSE </H3> <H3> LIGHTS </H3> <H3> Featured Products </H3> <H3> BUY FROM THE EXPERTS </H3> <H3> PremiumComponent Lights </H3> <H3> PhoneSupport </H3> <H3> New Stadium Lights </H3> <H3> LED CORN LIGHT </H3> <H3> BULBS </H3> <H3> FULLY CERTIFIED & WELL CONNECTED </H3> <H3> Share with us on Instagram @LEDLightExpert </H3> <H3> Our Customers TRUST US & WE DELIVER </H3> <H3> Menu Links </H3> <H3> Categories </H3> <H4> Popular </H4> <H4> More Categories </H4> <H4> By Application </H4> <H4> Over 300 LED Corn Bulbs </H4> <H4> By Base or Color </H4> <H4> By Size and Wattage </H4>



<H4> Warehouse Lights </H4> <H4> Other Indoor Lights </H4> <H4> Specialty Lights </H4> <H4> LED Parking Lot Lights </H4> <H4> Other Area Lights </H4> <H4> Mounts, Poles & Accessories </H4> <H4> Wall Lights </H4> <H4> LED Flood Lights </H4> <H4> By Style and Color </H4> <H4> All Sports Lights </H4> <H4> Court Lights </H4> <H4> Stadium Lights </H4> <H4> We Are Happy To Help </H4> <H4> Not Just Any Lights </H4> <H4> USA Experts </H4> <H4> Light Design Leaders </H4> <H4> Welcome </H4> <H4> SIGN UP FOR OUR FREE NEWSLETTER </H4> <H4> Shop </H4> <H4> Information </H4> <H4> CUSTOMER SERVICE </H4>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.







This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<h></h>
lights	39	×	*	~
light	35	*	~	~
watt	25	×	×	~
wall	22	×	×	~
high	21	×	✓	×
parking	13	×	✓	~
replace	12	×	×	×
metal	11	×	×	×
flood	11	×	×	~
bulbs	10	×	✓	~
warehouse	9	×	×	~
stadium	8	×	×	~
lumens	7	×	×	×
free	7	×	×	~
corn	6	×	✓	-

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.





We found 53 images on this web page
No ALT attributes are empty or missing.

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.



HTML to Text Ratio is: 12.24%

Text content size 9315 bytes Total HTML size 76096 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



Wow! It's GZIP Enabled.

✓ Your webpage is compressed from 74 KB to 16 KB (78.2 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.



// IP Canonicalization

No your domain IP 104.19.178.121 does not redirect to ledlightexpert.com

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address.

Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider.

If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

URL Rewrite

Warning! We have detected parameters in a massive number of URLs

Your site's URLs contain unnecessary elements that make them look complicated.

A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.

Clean URLs are also useful when shared on social media as they explain the page's content.

Underscores in the URLs

Oh no, you are using underscores (these_are_underscores) in your URLs

000

Great, you are not using ?underscores (these_are_underscores) in your URLs.

While Google treats hyphens as word separators, it does not for underscores.



Great, a redirect is in place to redirect traffic from your non-preferred domain.

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



Good, you have XML Sitemap file! http://ledlightexpert.com/sitemap.xml

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.



Good, you have Robots.txt file! http://ledlightexpert.com/robots.txt

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.





Perfect, no embedded objects has been detected on this page

Embedded Objects such as Flash. It should only be used for specific enhancements.

Although Flash content often looks nicer, it cannot be properly indexed by search engines.

Avoid full Flash websites to maximize SEO.



Oh no, iframe content has been detected on this page

Frames can cause problems on your web page because search engines will not crawl or index the content within them.

Avoid frames whenever possible and use a NoFrames tag if you must use them.

O Domain Registration

Exactly how many years and months

Domain Age: 7 Years, 172 Days

Created Date: 9th-Apr-2016

Updated Date: 21st-Sep-2022

Expiry Date: 23rd-Jul-2024

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.

Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.





Indexed pages in search engines

0 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.



Number of backlinks to your website



Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site. Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



Usability



http://ledlightexpert.com **Length:** 14 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Treat, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.

Custom 404 Page Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.



74 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.

Page size affects the speed of your website; try to keep your page size below 2 Mb.

Tip: Use images with a small size and optimize their download with gzip.



0.09 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.

Resources: Check out Google's developer tutorials for tips on how to to make your website run faster.



Good, you have declared your language Declared Language: English

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.



Domain Availability

	,	
Domains (TLD)	Status	
ledlightexpert.net	Available	
ledlightexpert.org	Already Registered	
ledlightexpert.biz	Already Registered	
ledlightexpert.us	Available	
ledlightexpert.info	Already Registered	

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability

Domains (TLD)	Status
pedlightexpert.com	Available
oedlightexpert.com	Available
iedlightexpert.com	Available
kedlightexpert.com	Available
medlightexpert.com	Available

Register the various typos of your domain to protect your brand from cybersquatters.





Good, no email address has been found in plain text.

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.

Safe Browsing

The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.




Mobile



Oh No! This page is not mobile-friendly. Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.

Mobile View

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Technologies



Server IP	Server Location	Service Provider
104.21.22.38	Not Available	Not Available

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.



Tips for authoring fast-loading HTML pages:

- * Too bad, your website has too many CSS files.
- X Too bad, your website has too many JavaScript files.
- Perfect, your website doesn't use nested tables.
- * Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

???By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.



Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.





Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.

For example, what version of HTML the page is written in.

Declaring a doctype helps web browsers to render content correctly.

W3C Validity

W3C not validated

W3Cis a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index. Run the W3C validation service whenever changes are made to your website's code.



Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.



Social



Your social media status





in Instagram: Ledlightexpert

Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

Visitors

Traffic Rank

No Global Rank

000

A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

Visitors Localization

Your website is popular on following countries:

Popularity at	None
Regional Rank	None

We recommend that you book the domain names for the countries where your ??website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

Estimated Worth \$60 USD

Just a estimated worth of your website based on Alexa Rank.

Link Analysis



We found a total of 153 links including both internal & external links of your site

Anchor	Type	Follow
Home	Internal Links	Dofollow
About Us	Internal Links	Dofollow
My Account	Internal Links	Dofollow
Contact Us	Internal Links	Dofollow
Blog	Internal Links	Dofollow
Wholesale	Internal Links	Dofollow
800-674-9420	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
Shopping Cart 0 Items - \$0	Internal Links	Dofollow
Register	Internal Links	Dofollow
LED Light Bulbs	Internal Links	Dofollow
LED High Bay Lights	Internal Links	Dofollow
LED Warehouse Lights	Internal Links	Dofollow
LED Wall Lights	Internal Links	Dofollow
Stadium Lights	Internal Links	Dofollow
Sport Court Lights	Internal Links	Dofollow
Solar Lights	Internal Links	Dofollow
LED Flood Lights	Internal Links	Dofollow
LED Retrofit Kits	Internal Links	Dofollow
Ceiling Lights	Internal Links	Dofollow
Wall Pack Lights	Internal Links	Dofollow
UFO High Bay Lights	Internal Links	Dofollow
LED Canopy Lights	Internal Links	Dofollow
Spotlights	Internal Links	Dofollow
LED Bollard Lights	Internal Links	Dofollow
Motion Sensor Lights	Internal Links	Dofollow
LED Grow Lights	Internal Links	Dofollow
Landscape Lights	Internal Links	Dofollow
Get a Photometric Study	Internal Links	Dofollow
Deal and Clearance	Internal Links	Dofollow
Replace 400 watt Metal Halide	Internal Links	Dofollow
Replace 1000 watt Metal Halide	Internal Links	Dofollow
Replace 1500 watt Metal Halide	Internal Links	Dofollow
Temporary Work Lights	Internal Links	Dofollow
DLC Listed Lights	Internal Links	Dofollow
DLC Premium Listed Lights	Internal Links	Dofollow
Retail Lights	Internal Links	Dofollow
Commercial Lighting	Internal Links	Dofollow
Corn Light Bulbs	Internal Links	Dofollow
480v High Voltage Bulbs	Internal Links	Dofollow
E26 Standard Base Light Bulbs	Internal Links	Dofollow
E39 Mogul Base Bulbs	Internal Links	Dofollow
3000K Color Bulbs	Internal Links	Dofollow
4000K Color Bulbs	Internal Links	Dofollow
5000K Color Bulbs	Internal Links	Dofollow
5700K Color Bulbs	Internal Links	Dofollow
T8 Light Bulbs	Internal Links	Dofollow



10 watt to 39 watt Bulbs	Internal Links	Dofollow
40 watt to 80 watt Bulbs	Internal Links	Dofollow
100 watt and Up Bulbs	Internal Links	Dofollow
Linear Style High Bay Lights	Internal Links	Dofollow
Motion Sensor Warehouse Lights	Internal Links	Dofollow
Dimmable High Bay Lights	Internal Links	Dofollow
Replace 400 watt Metal Halide	Internal Links	Dofollow
High Voltage 480v Warehouse Lights	Internal Links	Dofollow
High Bay Accessories	Internal Links	Dofollow
Explosion Proof Lights	Internal Links	Dofollow
T8 Light Replacements	Internal Links	Dofollow
Troffer Lights	Internal Links	Dofollow
Downlights	Internal Links	Dofollow
Strip Lights	Internal Links	Dofollow
Hazardous Location Lights	Internal Links	Dofollow
LED Parking Garage Lights	Internal Links	Dofollow
Tri Proof/ Vapor Proof Lights	Internal Links	Dofollow
NSF Food Safe Lights	Internal Links	Dofollow
All Parking Lot Lights	Internal Links	Dofollow
Parking Lot Lights with Photocell	Internal Links	Dofollow
LED Parking Lot Lights with Slip Fit	Internal Links	Dofollow
Commercial LED Parking Lot Lights	Internal Links	Dofollow
Fixture Mounts & Accessories	Internal Links	Dofollow
Replace 1500 watt Metal Halide	Internal Links	Dofollow
Replace 1000 Watt Metal Halide	Internal Links	Dofollow
Replace 400 Watt Metal Halide	Internal Links	Dofollow
480 Volt High Voltage Parking Lot Lights	Internal Links	Dofollow
LED Street Lights	Internal Links	Dofollow
LED Shoebox Lights	Internal Links	Dofollow
LED Pole Lights	Internal Links	Dofollow
Wall Mounted Parking Lot Lights	Internal Links	Dofollow
Dimmable LED Area Lights	Internal Links	Dofollow
High Output Flood Lights	Internal Links	Dofollow
LED Post Top Lights	Internal Links	Dofollow
Tenon Mounts	Internal Links	Dofollow
Light Poles	Internal Links	Dofollow
Photocells & Bypass Caps	Internal Links	Dofollow
Surge Protectors & Spare Drivers	Internal Links	Dofollow
Semi Cut Off Wall Packs	Internal Links	Dofollow
Full Cut Off Wall Packs	Internal Links	Dofollow
Adjustable Wall Lights	Internal Links	Dofollow
Dusk To Dawn Wall Lights	Internal Links	Dofollow
Porch Lights	Internal Links	Dofollow
Motion Sensor Flood Lights	Internal Links	Dofollow
Junction Box Mount Wall Lights	Internal Links	Dofollow
Solar Flood Lights	Internal Links	Dofollow
Wall Mount Flood Lights	Internal Links	Dofollow
3000K Wall Lights	Internal Links	Dofollow
4000K Wall Lights	Internal Links	Dofollow
5000K Wall Lights	Internal Links	Dofollow
LED Barn Style Lights	Internal Links	Dofollow
Dark Sky Compliant Wall Lights	Internal Links	Dofollow
Battery Backup & Emergency Lights	Internal Links	Dofollow



,	Sports Light Packages	Internal Links	Dofollow
]	Replace 400 Watt Metal Halide	Internal Links	Dofollow
]	Replace 1000 Watt Metal Halide	Internal Links	Dofollow
]	Replace 1500 Watt Metal Halide	Internal Links	Dofollow
,	Tennis Court Lights	Internal Links	Dofollow
]	Pickleball Court Lights	Internal Links	Dofollow
	All Stadium Lights	Internal Links	Dofollow
]	Baseball Field Lights	Internal Links	Dofollow
]	Football Soccer Field	Internal Links	Dofollow
	Arena Lights	Internal Links	Dofollow
]	Race Track Lights	Internal Links	Dofollow
]	Help & FAQ	Internal Links	Dofollow
]	Learning center	Internal Links	Dofollow
,	Wholesale	Internal Links	Dofollow
(Case Studies	Internal Links	Dofollow
]	Financing - We can Take POs	Internal Links	Dofollow
	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
,	Select Options Add to Cart	Internal Links	Dofollow
	No Anchor Text	Internal Links	Dofollow
,	Select Options Add to Cart	Internal Links	Dofollow
	No Anchor Text	Internal Links	Dofollow
,	Select Options Add to Cart	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
,	Select Options Add to Cart	Internal Links	Dofollow
,	SHOP NOW	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
]	No Anchor Text	Internal Links	Dofollow
(Click Here- Contact	Internal Links	Dofollow
1	Use Smart Search	Internal Links	Dofollow
]	Parking Lot Lights	Internal Links	Dofollow
	Product Index	Internal Links	Dofollow
(Category Index	Internal Links	Dofollow
	Hablamos Espanol	Internal Links	Dofollow
]	Free Light Study for Your Project	Internal Links	Dofollow
,	Terms & Conditions	Internal Links	Dofollow
]	Returns Policy	Internal Links	Dofollow
	858-247-3800	Internal Links	Dofollow
]	Login	Internal Links	Dofollow
	No Anchor Text	External Links	Dofollow
]	No Anchor Text	External Links	Dofollow
]	No Anchor Text	External Links	Dofollow
]	No Anchor Text	External Links	Dofollow
	No Anchor Text	External Links	Dofollow
	Trustpilot	External Links	Dofollow
	Security Seal	External Links	Dofollow
,	•	-	



While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.





Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.

